

Table of taxonomic updates to the paper *A Preliminary List of the Spiders of Michigan* (R. J. Snider, 1991. *Michigan Academician* XXIV, 201-246).

TABLE LEGEND: **Page** (the page in the original 1991 paper); **1991 Taxon** (spider name as written in the 1991 paper); **2016 WSC taxon** (name as currently listed on the World Spider Catalog website); * (correction of minor spelling errors made in the original 1991 paper).

World Spider Catalog (2016). Natural History Museum Bern, online at <http://wsc.nmbe.ch>

Note: Subfamilies listed in the 1991 paper are not included in the table below. For that reason, not all taxa will be in alphabetical order within a particular family.

Page	1991 Taxon	2016 WSC Taxon
	Infraorder MYGALMORPHAE	Infraorder MYGALMORPHAE
203	Family ATYPIDAE	Family ATYPIDAE
203	<i>Atypus milberti</i> Walckenaer	<i>Sphodros rufipes</i> (Latreille)
	Infraorder ARANEOMORPHAE	Infraorder MYGALMORPHAE
203	Family OONOPIDAE	Family OONOPIDAE
203	<i>Orchestina saltitans</i> Banks	No change
203	Family SCYTODIDAE	Family SCYTODIDAE
203	<i>Scytodes thoracica</i> Latreille	<i>S. t.</i> (Latreille)
203	Family PHOLCIDAE	Family PHOLCIDAE
203	<i>Pholcus phalangioides</i> Fuesslin	<i>P. p.</i> (Fuesslin)
203	Family THERIDIIDAE	Family THERIDIIDAE
203	<i>Asagena americana</i> Emerton	No change
203	<i>Crustulina altera</i> Gertsch & Archer	No change
203	<i>Crustulina stricta</i> (Cambridge)	* <i>C. <u>sticta</u></i> (O. P.-Cambridge)
203	<i>Ctenium fusca</i> (Emerton)	<i>Robertus fuscus</i> (Emerton)
203	<i>Ctenium laticeps</i> (Keyserling)	<i>Robertus l.</i> (Keyserling)
204	<i>Ctenium riparius</i> (Keyserling)	<i>Robertus r.</i> (Keyserling)
204	<i>Ctenium similis</i> (Kaston)	<i>Robertus s.</i> (Kaston)
204	<i>Enoplognatha intrepedia</i> (Sørensen)	* <i>E. <u>intrepida</u></i> Sørensen
204	<i>Enoplognatha marmorata</i> (Hentz)	No change
204	<i>Enoplognatha ovata</i> Clerck	<i>E. o.</i> (Clerck)
204	<i>Enoplognatha tecta</i> (Keyserling)	<i>E. caricis</i> (Fickert)
204	<i>Lithyphantes albomaculata</i> (De Geer)	<i>Steatoda a.</i> (De Geer)
204	<i>Steatoda borealis</i> (Hentz)	No change
204	<i>Teutana triangulosa</i> (Walckenaer)	<i>Steatoda t.</i> (Walckenaer)
204	<i>Conopistha trigona</i> (Hentz)	<i>Neospintharus trigonum</i> (Hentz)
204	<i>Dipoena buccalis</i> Keyserling	No change
204	<i>Dipoena nigra</i> (Emerton)	No change
204	<i>Latrodectus variolus</i> Walckenaer	No change
204	<i>Theonoe stridula</i> Crosby	No change
205	<i>Paidisca unimaculata</i> Emerton	<i>Thymoites unimaculatus</i> (Emerton)
205	<i>Ulesanis americana</i> Emerton	<i>Phoroncidia a.</i> (Emerton)
205	<i>Achaearana globosum</i> (Hentz)	<i>Hentziectypus globosus</i> (Hentz)
205	<i>Achaearana tepidariorum</i> (C. L. Koch)	<i>Parasteatoda t.</i> (C. L. Koch)
205	<i>Anelosimus studiosus</i> (Hentz)	No change
205	<i>Euryopis argentea</i> Emerton	No change
205	<i>Euryopis funebris</i> (Hentz)	No change
205	<i>Euryopis limbata</i> Walckenaer	<i>E. limbata</i> is <i>nomen dubium</i> / syn. for <i>E. funebris</i>
205	<i>Theridion albidum</i> Banks	No change
205	<i>Theridion aurantium</i> Emerton	<i>Rugathodes aurantius</i> (Emerton)
205	<i>Theridion berkeleyi</i> Emerton	<i>T. hemerobium</i> Simon
205	<i>Theridion differens</i> Emerton	No change
205	<i>Theridion frondeum</i> Hentz	No change
206	<i>Theridion glaucescens</i> Becker	No change
206	<i>Theridion lyricum</i> Walckenaer	<i>Yunohamella lyrica</i> (Walckenaer)

206	<i>Theridion montanum</i> Emerton	<i>Canalidion m.</i> (Emerton)
206	<i>Theridion murarium</i> Emerton	No change
206	<i>Theridion ornatum</i> Hahn	<i>T. pictum</i> (Walckenaer)
206	<i>Theridion petraeum</i> (C. L. Koch)	<i>T. p.</i> (L. Koch) Please note: L. Koch & C. L. Koch are not the same authors.
206	<i>Theridion punctisparsum</i> Emerton	<i>Platnickina punctosparsa</i> (Emerton)
206	<i>Theridion sexpunctatum</i> Emerton	<i>Rugathodes sexpunctatus</i> (Emerton)
206	<i>Theridion zelotypum</i> Emerton	<i>T. pictum</i> (Walckenaer) See also <i>T. ornatum</i> above.
206	<i>Theridula emertoni</i> Levi	No change
206	<i>Theridula opulenta</i> (Walckenaer)	No change
206	<i>Thymoites unimaculatum</i> (Emerton)	<i>T. unimaculatus</i> (Emerton)
206	Family LINYPHIIDAE	Family LINYPHIIDAE
206	<i>Agyneta cauta</i> (O. P.-Cambridge)	No change
206	<i>Bathyphantes brevis</i> (Emerton)	No change
206	<i>Bathyphantes concolor</i> (Wider)	<i>Diplostyla c.</i> (Wider)
207	<i>Bathyphantes nigrinus</i> Westring	<i>B. n.</i> (Westring)
207	<i>Bathyphantes pallidus</i> (Banks)	No change
207	<i>Bathyphantes pullatus</i> (Cambridge)	<i>Kaestneria pullata</i> (Cambridge)
207	<i>Centromerus cornupalpis</i> (Cambridge)	No change
207	<i>Centromerus denticulata</i> (Emerton)	<i>C. denticulatus</i> (Emerton)
207	<i>Centromerus latidens</i> (Emerton)	No change
207	<i>Centromerus longibullis</i> (Emerton)	* <i>C. longibulbus</i> (Emerton)
207	<i>Centromerus nigriceps</i> Emerton	<i>Ceratinopsis n.</i> Emerton
207	<i>Centromerus persoluta</i> (Cambridge)	<i>C. persolutus</i> (Cambridge)
207	<i>Centromerus serrata</i> (Emerton)	<i>C. serratus</i> (Cambridge)
207	<i>Centromerus sylvaticus</i> (Blackwall)	No change
207	<i>Drapetisca alteranda</i> (Chamberlin)	No change
207	<i>Frontinella communis</i> (Hentz)	No change
207	<i>Frontinella pyramitela</i> (Walckenaer)	<i>F. communis</i> (Hentz)
207	<i>Helophora insignis</i> (Blackwall)	No change
207	<i>Leptyphantes appalachia</i> Chamberlin	<i>Tenuiphantes sabulosus</i> (Keyserling)
207	<i>Leptyphantes bihamata</i> (Emerton)	<i>Poeciloneta b.</i> (Emerton)
208	<i>Leptyphantes calcarata</i> Emerton	<i>Poeciloneta calcaratus</i> (Emerton)
208	<i>Leptyphantes leprosa</i> (Ohlert)	* <i>Leptyphantes leprosa</i> (Ohlert) Genus consistently misspelled in 1991 paper
208	<i>Leptyphantes minutus</i> (Blackwall)	* <i>Leptyphantes m.</i> (Blackwall)
208	<i>Leptyphantes nebulosi</i> (Sundevall)	<i>Megaleptyphantes nebulosus</i> (Sundevall)
208	<i>Leptyphantes sabulosa</i> (Keyserling)	<i>Tenuiphantes sabulosus</i> (Keyserling)
208	<i>Leptyphantes turbatrix</i> (Cambridge)	* <i>Leptyphantes t.</i> (Cambridge)
208	<i>Leptyphantes triramus</i> Chamberlin & Ivie	<i>Incestophantes duplicatus</i> (Emerton)
208	<i>Leptyphantes subalpina</i> Emerton	* <i>Leptyphantes turbatrix</i> (Cambridge)
208	<i>Linyphia maaculata</i> Emerton	<i>Neriere variabilis</i> (Banks)
208	<i>Linyphia marginata</i> C. L. Koch	<i>Neriere radiata</i> (Walckenaer)
208	<i>Linyphia pusilla</i> Sundevall	<i>Microlinyphia p.</i> (Sundevall)
208	<i>Linyphia waldea</i> Chamberlin & Ivie	<i>Neriere clathrata</i> (Sundevall)
208	<i>Macrargus multesimus</i> (Cambridge)	No change
209	<i>Meioneta angulata</i> (Emerton)	<i>Agyneta a.</i> (Emerton)
209	<i>Meioneta fabra</i> Keyserling	<i>Agyneta f.</i> (Keyserling)
209	<i>Meioneta serrata</i> (Emerton)	<i>Agyneta s.</i> (Emerton)
209	<i>Meioneta simplex</i> (Emerton)	<i>Agyneta s.</i> (Emerton)
209	<i>Meioneta unimaculata</i> (Banks)	<i>Agyneta u.</i> (Banks)
209	<i>Microlinyphia mandibulata</i> (Emerton)	No change
209	<i>Microneta viaria</i> Blackwall	<i>M. v.</i> (Blackwall)
209	<i>Minyriolus arenarius</i> (Emerton)	<i>Satlatlas a.</i> (Emerton)
209	<i>Neriere clathrata</i> (Sundevall)	No change
209	<i>Neriere variabilis</i> Banks	<i>N. v.</i> (Banks)
209	<i>Origanates rostratus</i> (Emerton)	No change
209	<i>Pityohyphantes phrygiana</i> (C. L. Koch)	<i>P. phrygianus</i> (C. L. Koch)

209	<i>Pocadicnemis pumilia</i> (Blackwell)	**P. pumila (Blackwall)
209	<i>Stemonyphantes lineatus</i> (Linnaeus)	<i>S. blauveltae</i> Gertsch (<i>S. lineatus</i> is Palearctic)
209	<i>Tennesseeillum formicum</i> (Emerton)	<i>T. formica</i> (Emerton)
210	<i>Tapinocyba minuta</i> (Emerton)	No change
210	<i>Tapinopa bilineata</i> Banks	No change
210	{family Micryphantidae is now LINYPHIIDAE}	{family Micryphantidae is now LINYPHIIDAE}
210	<i>Maso alticeps</i> (Emerton)	No change
210	<i>Maso sundevalli</i> (Westring)	No change
210	<i>Baryphyma longitarsum</i> (Emerton)	<i>Micrargus longitarsus</i> (Emerton)
210	<i>Catabrithorax plumosus</i> (Emerton)	<i>Collinsia plumosa</i> (Emerton)
210	<i>Catabrithorax oxypaederotipus</i> (Crosby)	<i>Collinsia o.</i> (Crosby)
210	<i>Ceraticelus alticeps</i> (Fox)	No change
210	<i>Ceraticelus atriceps</i> (Cambridge)	No change
210	<i>Ceraticelus bulbosus</i> (Emerton)	No change
210	<i>Ceraticelus emertoni</i> (Cambridge)	No change
210	<i>Ceraticelus fissiceps</i> (Cambridge)	No change
210	<i>Ceraticelus laetabilis</i> (Cambridge)	No change
210	<i>Ceraticelus laetus</i> (Cambridge)	No change
210	<i>Ceraticelus micropalpis</i> (Emerton)	No change
210	<i>Ceraticelus minutus</i> (Emerton)	No change
210	<i>Ceraticelus pygmaeus</i> Emerton	<i>C. p.</i> (Emerton)
211	<i>Ceratinella brunnea</i> (Emerton)	<i>C. b.</i> Emerton
211	<i>Ceratinella placida</i> Banks	<i>C. brunnea</i> Emerton
211	<i>Ceratinops crenata</i> (Emerton)	<i>C. crenatus</i> (Emerton)
211	<i>Ceratinops laticeps</i> Emerton	No change
211	<i>Ceratinopsis interpres</i> (Cambridge)	No change
211	<i>Ceratinopsis nigriceps</i> Emerton	No change
211	<i>Cochlembolus pallidus</i> (Emerton)	<i>Scotinotylus p.</i> (Emerton)
211	<i>Cornicularia acuminata</i> Blackwall	<i>Walckenaeria a.</i> Blackwall
211	<i>Cornicularia brevicornis</i> Emerton	<i>Walckenaeria b.</i> (Emerton)
211	<i>Cornicularia clavicornus</i> Emerton	<i>Walckenaeria c.</i> (Emerton)
211	<i>Cornicularia communis</i> Emerton	<i>Walckenaeria c.</i> (Emerton)
211	<i>Cornicularia directa</i> (Cambridge)	<i>Walckenaeria d.</i> (Cambridge)
211	<i>Cornicularia indirecta</i> (Cambridge)	<i>Walckenaeria i.</i> (Cambridge)
211	<i>Cornicularia minuta</i> Emerton	<i>Walckenaeria m.</i> (Emerton)
211	<i>Cornicularia pallida</i> Emerton	<i>Walckenaeria p.</i> (Emerton)
211	<i>Cornicularia pinocchio</i> Kaston	<i>Walckenaeria p.</i> (Kaston)
211	<i>Cornicularia tibialis</i> Emerton	<i>Walckenaeria t.</i> (Emerton)
211	<i>Diplocephalus cuneata</i> (Emerton)	<i>D. subrostratus</i> (Cambridge)
211	<i>Dismodicus decemocolatus</i> Emerton	No change
212	<i>Eperigone entomologica</i> (Emerton)	<i>Mermessus entomologicus</i> (Emerton)
212	<i>Eperigone maculata</i> (Banks)	<i>Mermessus maculatus</i> (Banks)
212	<i>Eperigone tridentata</i> (Emerton)	<i>Mermessus tridentatus</i> (Emerton)
212	<i>Eperigone trilobata</i> (Emerton)	<i>Mermessus trilobatus</i> (Emerton)
212	<i>Eridantes erigonoides</i> (Emerton)	No change
212	<i>Erigone alsaida</i> Crosby & Bishop	No change
212	<i>Erigone atra</i> Blackwall	No change
212	<i>Erigone autumnalis</i> Emerton	No change
212	<i>Erigone blaesa</i> Crosby & Bishop	No change
212	<i>Erigone dentigera</i> Cambridge	No change
212	<i>Erigone zographica</i> Crosby & Bishop	<i>E. cristatopalpus</i> Simon
212	<i>Floricomus plumalis</i> (Crosby)	No change
212	<i>Gonatium rubens</i> (Blackwall)	<i>G. crassipalpus</i> Bryant (<i>G. rubens</i> is Palearctic)
212	<i>Grammonota gentilis</i> Banks	No change
212	<i>Grammonota gigas</i> (Cambridge)	<i>G. g.</i> (Banks)
212	<i>Grammonota inornata</i> Emerton	No change
212	<i>Grammonota ornata</i> Cambridge	<i>G. o.</i> (Cambridge)

212	<i>Grammonota pictilis</i> Cambridge	<i>G. p.</i> (Cambridge)
213	<i>Grammonota spinimana</i> Emerton	<i>G. gentilis</i> Banks
213	<i>Hypselistes florens</i> (Cambridge)	No change
213	<i>Idionella formosa</i> (Banks)	No change
213	<i>Idionella rugosus</i> (Crosby)	<i>I. rugosa</i> (Crosby)
213	<i>Islandianna flaveola</i> (Banks)	* <i>Islandiana</i>
213	<i>Islandianna longisetosa</i> (Emerton)	* <i>Islandiana</i>
213	<i>Minyriolus arenarius</i> (Emerton)	<i>Satilatlas a.</i> (Emerton)
213	<i>Minyriolus castaneus</i> (Emerton)	<i>Walckenaeria castanea</i> (Emerton)
213	<i>Oedothorax montanus</i> (Emerton)	<i>Sisicottus m.</i> (Emerton) <i>O. montanus</i> = <i>Nomen dubium</i>
213	<i>Oedothorax trilobatus</i> (Banks)	No change
213	<i>Oreonetides vaginatus</i> (Thorell)	No change
213	<i>Origantes rostratus</i> (Emerton)	No change
213	<i>Pelecopsis bishopi</i> Kaston	No change
213	<i>Pelecopsis moestum</i> (Banks)	<i>P. moesta</i> (Banks)
213	<i>Pocadicnemis hartlandiana</i> Emerton	<i>Tusukuru hartlandianus</i> (Emerton)
213	<i>Pocadicnemis pumila</i> (Blackwall)	No change
213	<i>Sciastes terrestris</i> (Emerton)	<i>Porrhomma terrestre</i> (Emerton)
214	<i>Scironis tarsalis</i> (Emerton)	No change
214	<i>Scironis montigenus</i> Bishop & Crosby	<i>Sisicottus m.</i> Bishop & Crosby
214	<i>Scylaceus pallidus</i> (Emerton)	No change
214	<i>Sisicottus montanus</i> (Emerton)	No change
214	<i>Sisicus penifusiferus</i> Bishop & Crosby	<i>S. penifusifer</i> Bishop & Crosby
214	<i>Soulgas corticarius</i> (Emerton)	No change
214	<i>Stemonyphantes lineatus</i> (Linnaeus)	<i>S. blauveltae</i> Gertsch (<i>S. lineatus</i> is Palearctic)
214	<i>Tapinocyba minuta</i> (Emerton)	This species was also listed on page 210
214	<i>Tapinocyba scopulifera</i> (Emerton)	<i>Glyphesis s.</i> (Emerton)
214	<i>Tapinocyba simplex</i> (Emerton)	No change
214	<i>Tmeticus ornatus</i> (Emerton)	No change
214	<i>Traematosisis bispinosis</i> (Emerton)	* <i>T. bispinosus</i> (Emerton)
214	<i>Tunagyna debilis</i> (Banks)	No change
214	<i>Walckenaera vigilax</i> (Blackwall)	No change
214	Family ARANEIDAE	Family ARANEIDAE
214	<i>Micrathena gracilis</i> (Walckenaer)	No change (also listed on page 217)
214	<i>Micrathena sagittata</i> (Walckenaer)	No change (also listed on page 217)
214	<i>Acanthepeira stellata</i> (Walckenaer)	No change
215	<i>Araneus angulatus</i> Clerck	No change
215	<i>Araneus cavaticus</i> (Keyserling)	No change
215	<i>Araneus corticarius</i> (Emerton)	No change
215	<i>Araneus cucurbitinus</i> Clerck	<i>Araniella cucurbitina</i> (Clerck)
215	<i>Araneus diademus</i> Linnaeus	<i>A. diadematus</i> Clerck
215	<i>Araneus dumetorum</i> (Villers)	<i>Larinioides patagiatus</i> (Clerck)
215	<i>Araneus foliata</i> (Fourcroy)	<i>Larinioides cornutus</i> (Clerck)
215	<i>Araneus marmoreus</i> Clerck	No change
215	<i>Araneus nordmanni</i> (Thorell)	No change
215	<i>Araneus pratensis</i> (Emerton)	No change
215	<i>Araneus raji</i> (Scopoli)	<i>A. marmoreus</i> Clerck
215	<i>Araneus sachimau</i> Archer	<i>A. iviei</i> (Archer)
215	<i>Araneus saevus</i> (L. Koch)	No change
215	<i>Araneus trifolium</i> (Hentz)	No change
216	<i>Araniella displicata</i> (Hentz)	No change
216	<i>Cercidia prominens</i> (Westring)	No change
216	<i>Cyclosa conica</i> (Pallas)	No change
216	<i>Cyclosa turbinata</i> (Walckenaer)	No change
216	<i>Eustala anastera</i> (Walckenaer)	No change
216	<i>Gea heptagon</i> (Hentz)	No change
216	<i>Hypsosinga truncata</i> (Banks)	<i>H. rubens</i> (Hentz)
216	<i>Hypsosinga variabilis</i> (Emerton)	<i>H. pygmaea</i> (Sundevall)

216	<i>Larinia borealis</i> Banks	No change
216	<i>Mangora gibberosa</i> (Hentz)	No change
217	<i>Mangora maculata</i> (Keyserling)	No change
217	<i>Mangora placida</i> (Hentz)	No change
217	<i>Mastophora bisaccata</i> (Emerton)	No change
217	<i>Metepeira labyrinthea</i> (Hentz)	No change
217	<i>Micrathena gracilis</i> (Walckenaer)	No change (also listed on page 214)
217	<i>Micrathena sagittata</i> Walckenaer	<i>M. s.</i> (Walckenaer) (also listed on page 214)
217	<i>Neoscona arabesca</i> (Walckenaer)	No change
217	<i>Neoscona benjamina</i> (Walckenaer)	<i>N. domiciliorum</i> (Hentz) <i>N. benjamina</i> = <i>Nomen dubium</i>
217	<i>Neoscona minima</i> Cambridge	<i>N. arabesca</i> (Walckenaer)
217	<i>Neosconella pegnia</i> (Walckenaer)	<i>Araneus p.</i> (Walckenaer)
217	<i>Neosconella thaddeus</i> (Hentz)	<i>Araneus t.</i> (Hentz)
217	<i>Nuctenea cornuta</i> (Clerck)	<i>Larinioides cornutus</i> (Clerck)
218	<i>Nuctenea dumetora</i> (Villers)	<i>Larinioides patagiatus</i> (Clerck)
218	<i>Nuctenea patagiata</i> (Clerck)	<i>Larinioides patagiatus</i> (Clerck)
218	<i>Nuctenea sericata</i> (Clerck)	<i>Larinioides sclopetarius</i> (Clerck)
218	<i>Nuctenea undata</i> (Olivier)	<i>Larinioides sclopetarius</i> (Clerck)
218	<i>Zygiella montana</i> (C. L. Koch)	<i>Parazygiella m.</i> (C. L. Koch)
218	<i>Zygiella nearctica</i> Gertsch	No change
218	<i>Argiope aurantia</i> Lucas	No change
218	<i>Argiope trifasciata</i> (Forsk.)	* <i>A. t.</i> (Forsskal)
218	Family THERIDIOSOMATIDAE	Family THERIDIOSOMATIDAE
218	<i>Theridiosoma gemmosum</i> (L. Koch)	No change
218	Family TETRAGNATHIDAE	Family TETRAGNATHIDAE
218	<i>Leucauge venusta</i> (Walckenaer)	No change
219	<i>Pachygnatha autumnalis</i> Keyserling	<i>P. a.</i> Marx
219	<i>Pachygnatha brevis</i> Keyserling	No change
219	<i>Pachygnatha dorothea</i> McCook	No change
219	<i>Pachygnatha kuratai</i> Levi	<i>P. dorothea</i> McCook
219	<i>Pachygnatha tristriata</i> C. L. Koch	No change
219	<i>Pachygnath xanthostoma</i> C. L. Koch	* <i>Pachygnath</i> x. C. L. Koch
219	<i>Tetragnatha caudata</i> Emerton	No change
219	<i>Tetragnatha dearmata</i> Thorell	No change
219	<i>Tetragnatha elongata</i> Walckenaer	No change
219	<i>Tetragnatha extensa</i> Linnaeus	<i>T. e.</i> (Linnaeus)
219	<i>Tetragnatha guatemalensis</i> Cambridge	No change
219	<i>Tetragnatha laboriosa</i> Hentz	No change
220	<i>Tetragnatha pallescens</i> Cambridge	No change
220	<i>Tetragnatha rusticana</i> Chickering	<i>T. extensa</i> (Linnaeus)
220	<i>Tetragnatha seneca</i> Seeley	<i>Tetragnatha guatemalensis</i> Cambridge
220	<i>Tetragnatha straminea</i> Emerton	No change
220	<i>Tetragnatha vermiformis</i> Emerton	No change
220	<i>Tetragnatha versicolor</i> Walckenaer	No change
220	<i>Tetragnatha viridis</i> Walckenaer	No change
220	Family MIMETIDAE	Family MIMETIDAE
220	<i>Ero furcata</i> (Villers)	No change
220	<i>Ero leonina</i> (Hentz)	No change
220	<i>Mimetus epeiroides</i> Emerton	* <i>M. epeiroides</i> Emerton
221	<i>Mimetus interfactor</i> Hentz	<i>M. syllepsicus</i> Hentz
221	<i>Mimetus puritanus</i> Chamberlin	No change
221	Family PISAURIDAE	Family PISAURIDAE
221	<i>Dolomedes fulvitreronotatus</i> Bishop	<i>D. striatus</i> Giebel
221	<i>Dolomedes scopularis</i> C. L. Koch	<i>D. triton</i> Walckenaer
221	<i>Dolomedes scriptus</i> Hentz	No change
221	<i>Dolomedes striatus</i> Giebel	No change
221	<i>Dolomedes tenebrosus</i> Hentz	No change
221	<i>Dolomedes triton sexpunctatus</i> (Hentz)	<i>D. triton</i> (Walckenaer)

221	<i>Dolomedes triton triton</i> Walckenaer	<i>D. triton</i> (Walckenaer)
221	<i>Dolomedes vittatus</i> Walckenaer	No change
221	<i>Pisaurina brevipes</i> (Emerton)	No change
221	<i>Pisaurina mira</i> (Walckenaer)	No change
221	Family LYCOSIDAE	Family LYCOSIDAE
221	<i>Alopecosa aculeata</i> (Clerck)	No change
221	<i>Alopecosa beanii</i> Emerton	<i>A. aculeata</i> (Clerck)
222	<i>Alopecosa kochi</i> (Keyserling)	No change
222	<i>Arctosa cinerea</i> (Fabricius)	No change (this species is Palearctic and may have been mis-identified)
222	<i>Arctosa emertoni</i> Gertsch	No change
222	<i>Arctosa funerea</i> (Hentz)	<i>Allocosa f.</i> (Hentz)
222	<i>Arctosa littoralis</i> (Hentz)	No change
222	<i>Arctosa quinaria</i> Emerton	<i>A. raptor</i> (Kulczyński)
222	<i>Arctosa rubicunda</i> (Keyserling)	No change
222	<i>Geolycosa missouriensis</i> (Banks)	No change
222	<i>Geolycosa pikei</i> (Marx)	No change
222	<i>Geolycosa wrightii</i> (Emerton)	* <i>G. wrighti</i> (Emerton)
222	<i>Lycosa aspersa</i> (Hentz)	<i>Tigrosa a.</i> (Hentz)
222	<i>Lycosa avara</i> (Keyserling)	<i>Varacosa a.</i> (Keyserling)
222	<i>Lycosa avida</i> Walckenaer	<i>Schizocosa a.</i> (Walckenaer)
222	<i>Lycosa baltimoreana</i> (Keyserling)	* <i>Hogna baltimoriana.</i> (Keyserling)
222	<i>Lycosa carolinensis</i> Walckenaer	<i>Hogna c.</i> Walckenaer
222	<i>Lycosa frondicola</i> Emerton	<i>Hogna f.</i> Emerton
223	<i>Lycosa gulosa</i> Walckenaer	<i>Gladicosa g.</i> Walckenaer
223	<i>Lycosa gracilis</i> Banks	<i>Schizocosa saltatrix</i> (Hentz)
223	<i>Lycosa helluo</i> Walckenaer	<i>Tigrosa h.</i> (Walckenaer)
223	<i>Lycosa insularis</i> Emerton	<i>Piratula i.</i> (Emerton)
223	<i>Lycosa modesta</i> (Keyserling)	<i>Hogna frondicola</i> (Emerton)
223	<i>Lycosa punctulata</i> Hentz	<i>Rabidosa p.</i> (Hentz)
223	<i>Lycosa riparia</i> Hentz	<i>Tigrosa georgicola</i> (Walckenaer)
223	<i>Pirata aspirans</i> Chamberlin	No change
223	<i>Pirata insularis</i> Emerton	<i>Piratula i.</i> (Emerton)
223	<i>Pirata marxii</i> Stone	<i>Trebacosa marxi</i> (Stone)
223	<i>Pirata minutus</i> Emerton	<i>Piratula minuta</i> (Emerton)
223	<i>Pirata montanus</i> Emerton	No change
223	<i>Pirata piratica</i> (Clerck)	<i>P. piraticus</i> (Clerck)
224	<i>Pirata sedentarius</i> Montgomery	No change
224	<i>Pirata sylvestris</i> Emerton	<i>Piratula insularis</i> (Emerton)
224	<i>Schizocosa avida</i> (Walckenaer)	No change
224	<i>Schizocosa bilineata</i> (Emerton)	No change
224	<i>Schizocosa crassipalpa</i> Roewer	No change
224	<i>Schizocosa ocreata</i> (Hentz)	No change
224	<i>Schizocosa saltatrix</i> (Hentz)	No change
224	<i>Tarentula aculeata</i> (Clerck)	<i>Alopecosa a.</i> (Clerck)
224	<i>Trochosa pratensis</i> (Emerton)	<i>T. terricola</i> Thorell
224	<i>Trochosa terricola</i> Thorell	No change
224	<i>Pardosa distincta</i> (Blackwall)	No change
224	<i>Pardosa fuscula</i> (Thorell)	No change
225	<i>Pardosa glacialis</i> Thorell	No change
225	<i>Pardosa groenlandica</i> (Thorell)	No change
225	<i>Pardosa hyperborea</i> (Thorell)	No change
225	<i>Pardosa lapidicina</i> Emerton	No change
225	<i>Pardosa longispinata</i> Tullberg	<i>P. littoralis</i> Banks
225	<i>Pardosa mackenziana</i> (Keyserling)	No change
225	<i>Pardosa milvina</i> (Hentz)	No change
225	<i>Pardosa modica</i> (Blackwell)	No change *(Blackwall)
225	<i>Pardosa modica brunnea</i> Emerton	Syn. for <i>P. modica</i>

225	<i>Pardosa moesta</i> (Banks)	<i>P. m.</i> Banks
225	<i>Pardosa saxatilis</i> Hentz	<i>P. s.</i> (Hentz)
225	<i>Pardosa sternalis</i> Thorell	<i>P. s.</i> (Thorell)
225	<i>Pardosa tachypoda</i> Thorell	<i>P. xerampelina</i> (Keyserling)
226	<i>Pardosa xerampelina</i> (Keyserling)	No change
226	Family AGELENIDAE	Family AGELENIDAE
226	<i>Agelenopsis emertoni</i> Chamberlin & Ivie	No change
226	<i>Agelenopsis pensylvanica</i> C. L. Koch	* <i>A. pennsylvanica</i> (C. L. Koch)
226	<i>Agelenopsis naevia</i> (Walckenaer)	No change
226	<i>Agelenopsis potteri</i> (Blackwall)	No change
226	<i>Agelenopsis utahana</i> (Chamberlin & Ivie)	No change
226	<i>Cicurina arcuata</i> Keyserling	<i>Cicurina</i> transferred to DICTYNIDAE
226	<i>Cicurina brevis</i> (Emerton)	<i>Cicurina</i> transferred to DICTYNIDAE
226	<i>Cicurina lowriei</i> Levi	<i>C. placida</i> Banks ; <i>Cicurina</i> transferred to DICTYNIDAE
226	<i>Cicurina minnesota</i> Chamberlin & Ivie	<i>Cicurina</i> transferred to DICTYNIDAE
227	<i>Cicurina pallida</i> Keyserling	<i>Cicurina</i> transferred to DICTYNIDAE
227	<i>Cicurina placida</i> Banks	<i>Cicurina</i> transferred to DICTYNIDAE
227	<i>Cicurina robusta</i> Simon	<i>Cicurina</i> transferred to DICTYNIDAE
227	<i>Coelotes fidelis</i> Banks	<i>Coras juvenilis</i> (Keyserling)
227	<i>Coelotes juvenilis</i> (Keyserling)	<i>Coras j.</i> (Keyserling)
227	<i>Coelotes montanus</i> (Emerton)	<i>Coras m.</i> (Emerton)
227	<i>Coras lamellosus</i> Keyserling	<i>C. l.</i> Keyserling
227	<i>Coras medicinalis</i> (Hentz)	No change
227	<i>Coras montanus</i> (Emerton)	No change
227	<i>Cryphoea montana</i> Emerton	<i>Cryphoea</i> transferred to HAHNIIDAE
227	<i>Cybaeota calcaratum</i> (Emerton)	<i>C. calcarata</i> (Emerton); <i>Cybaeota</i> transferred to CYBAEIDAE
227	<i>Tegenaria derhamii</i> (Scopoli)	<i>T. domestica</i> (Clerck)
227	<i>Wadotes calcaratus</i> (Keyserling)	No change
227	<i>Wadotes hybridus</i> (Emerton)	No change
227	<i>Wadotes tennesseensis</i> Gertsch	No change
228	Family HAHNIIDAE	Family HAHNIIDAE
228	<i>Antistea brunnea</i> (Emerton)	No change
228	<i>Hahnia cinerea</i> Emerton	No change
228	<i>Neoantistea agilis</i> (Keyserling)	No change
228	<i>Neoantistea magna</i> (Keyserling)	No change
228	<i>Neoantistea radula</i> (Emerton)	<i>N. magna</i> (Keyserling)
228	Family OXYOPIDAE	Family OXYOPIDAE
228	<i>Oxyopes salticus</i> Hentz	No change
228	<i>Oxyopes scalaris</i> Hentz	No change
228	Family GNAPHOSIDAE	Family GNAPHOSIDAE
228	<i>Callilepis pluto</i> Banks	No change
228	<i>Gnaphosa brumalis</i> Thorell	No change
228	<i>Gnaphosa muscorum</i> (L. Koch)	No change
228	<i>Gnaphosa parvula</i> Banks	No change
228	<i>Gnaphosa sericata</i> (L. Koch)	No change
229	<i>Cesonia bilineata</i> (Hentz)	No change
229	<i>Drassodes auriculoides</i> Barrows	No change
229	<i>Drassodes neglectus</i> (Keyserling)	No change
229	<i>Drassyllus depressus</i> (Emerton)	No change
229	<i>Drassyllus gynosaphes</i> Chamberlin	No change
229	<i>Drassyllus niger</i> (Banks)	No change
229	<i>Haplodrassus bicornis</i> Emerton	<i>H. b.</i> (Emerton)
229	<i>Haplodrassus hienalis</i> (Emerton)	* <i>H. hiemalis</i> (Emerton)
229	<i>Haplodrassus robustus</i> (Emerton)	<i>H. signifer</i> (C. L. Koch)
229	<i>Haplodrassus signifer</i> (C. L. Koch)	No change
229	<i>Herpyllus ecclesiastica</i> Hentz	<i>H. ecclesiasticus</i> Hentz

229	<i>Poecilochroa decorata</i> (Kaston)	<i>Sergiolus decoratus</i> Kaston
229	<i>Poecilochroa montana</i> (Emerton)	<i>Sergiolus montanus</i> (Emerton)
229	<i>Poecilochroa variegata</i> (Hentz)	<i>Sergiolus capulatus</i> (Walckenaer)
229	<i>Sosticus insularis</i> Banks	<i>S. i.</i> (Banks)
229	<i>Zolotes hentzi</i> Barrows	* <i>Zelotes h.</i>
229	<i>Zelotes puritanus</i> Chamberlin	No change
230	<i>Zelotes subterraneus</i> (C. L. Koch)	<i>Z. fratris</i> Chamberlin
230	Family ANYPHAENIDAE	Family ANYPHAENIDAE
230	<i>Anyphaena celer</i> (Hentz)	No change
230	<i>Anyphaena pectorosa</i> L. Koch	No change
230	<i>Anyphaenella saltaburda</i> (Hentz)	<i>Wulfila saltibundus</i> (Hentz)
230	<i>Aysha gracilis</i> (Hentz)	<i>Hibana g.</i> (Hentz)
230	<i>Wulfila saltibunda</i> (Hentz)	* <i>W. saltibundus</i> (Hentz)
230	Family CLUBIONIDAE	Family CLUBIONIDAE
230	<i>Chiracanthium inclusum</i> (Hentz)	<i>Cheiracanthium i.</i> (Hentz) The genus has been transferred to EUTICHURIDAE
230	<i>Clubiona abboti</i> L. Koch	No change
230	<i>Clubiona bryantae</i> Gertsch	No change
230	<i>Clubiona canadensis</i> Emerton	No change
230	<i>Clubiona chippewa</i> Gertsch	No change
230	<i>Clubiona excepta</i> (L. Koch)	<i>Elaver e.</i> (L. Koch)
230	<i>Clubiona johnsonii</i> Gertsch	* <i>C. johnsoni</i> Gertsch
230	<i>Clubiona kastoni</i> Gertsch	No change
231	<i>Clubiona kulczynskii</i> de Lasseret	* <i>C. kulczynskii</i> de Lasseret
231	<i>Clubiona mixta</i> Emerton	No change
231	<i>Clubiona moesta</i> Banks	No change
231	<i>Clubiona obesa</i> Hentz	No change
231	<i>Clubiona pygmaea</i> Banks	No change
231	<i>Clubiona riparia</i> L. Koch	No change
231	<i>Clubiona tibialis</i> Emerton	<i>C. maritima</i> L. Koch
231	<i>Clubiona trivialis</i> C. L. Koch	No change
231	<i>Clubionoides excepta</i> (L. Koch)	<i>Elaver e.</i> (L. Koch)
231	<i>Trachelas tranquillus</i> (Hentz)	<i>Trachelas</i> transferred to TRACHELIDAE
231	<i>Agroeca ornata</i> Banks	<i>Agroeca</i> transferred to LIOCRANIDAE
231	<i>Agroeca pratearius</i> Emerton	<i>A. pratensis</i> Emerton; <i>Agroeca</i> transferred to LIOCRANIDAE
232	Genus <i>Scotinella</i> has been transferred to the family PHRUROLITHIDAE	
232	<i>Scotinella alarius</i> (Hentz)	<i>Phrurorotimpus a.</i> (Hentz); transferred to PHRUROLITHIDAE
232	<i>Scotinella borealis</i> Emerton	<i>Phrurorotimpus borealis</i> (Emerton); transferred to PHRUROLITHIDAE
232	<i>Scotinella brittoni</i> Gertsch	<i>S. b.</i> (Gertsch)
232	<i>Scotinella divestus</i> (Gertsch)	<i>S. divesta</i> (Gertsch)
232	<i>Scotinella formidabilis</i> (Chamberlin & Gertsch)	<i>Phruronellus f.</i> Chamberlin & Gertsch
232	<i>Scotinella pugnatus</i> (Emerton)	<i>S. pugnata</i> (Emerton)
232	<i>Scotinella similis</i> (Banks)	<i>S. redempta</i> (Gertsch)
232	Genus <i>Castianeira</i> has been transferred to the family CORINNIDAE	
232	<i>Castianeira cingulata</i> (C. L. Koch)	No change
232	<i>Castianeira descripta</i> (Hentz)	No change
232	<i>Castianeira gertschi</i> Kaston	No change
232	<i>Castianeira longipalpus</i> (Hentz)	<i>C. longipalpa</i> (Hentz)
232	<i>Castianeira trilineata</i> (Hentz)	No change
232	<i>Castianeira variata</i> Gertsch	No change
232	<i>Micaria emertoni</i> Gertsch	<i>Micaria</i> transferred to GNAPHOSIDAE
232	<i>Micaria longipes</i> Emerton	<i>Micaria</i> transferred to GNAPHOSIDAE
233	<i>Micaria pulicaria</i> (Sundevall)	<i>Micaria</i> transferred to GNAPHOSIDAE

233	<i>Myrmecotypus lineata</i> (Emerton)	<i>M. lineatus</i> (Emerton) Transferred to CORINNIDAE
233	Family THOMISIDAE	Family THOMISIDAE
233	<i>Coriarachne utahensis</i> (Gertsch)	<i>Bassaniana u.</i> (Gertsch)
233	<i>Misumena rosea</i> Keyserling	<i>Mecaphesa asperata</i> (Hentz)
233	<i>Misumena vatia</i> (Clerck)	No change
233	<i>Misumenoides formosipes</i> (Walckenaer)	No change
233	<i>Misumenops asperatus</i> (Hentz)	<i>Mecaphesa asperata</i> (Hentz)
233	<i>Misumenops celer</i> (Hentz)	<i>Mecaphesa c.</i> (Hentz)
233	<i>Ozyptila americana</i> Banks	No change
234	<i>Ozyptila conspurcata</i> Thorell	No change
234	<i>Ozyptila distans</i> Dondale & Redner	No change
234	<i>Ozyptila georgiana</i> Keyserling	No change
234	<i>Tmarus angulatus</i> (Walckenaer)	No change
234	<i>Xysticus alboniger</i> Turnbull, Dondale&Redner	No change
234	<i>Xysticus ampullatus</i> Turnbull, Dondale & Redner	No change
234	<i>Xysticus auctificus</i> (Keyserling)	<i>X. a.</i> Keyserling
234	<i>Xysticus banksi</i> (Keyserling)	<i>X. b.</i> Bryant
234	<i>Xysticus bicuspis</i> Keyserling	No change
234	<i>Xysticus canadensis</i> Gertsch	No change
234	<i>Xysticus chippewi</i> Gertsch	* <i>X. chippewa</i> Gertsch
234	<i>Xysticus discursans</i> Keyserling	No change
234	<i>Xysticus elegans</i> Keyserling	No change
234	<i>Xysticus emertoni</i> (Keyserling)	<i>X. e.</i> Keyserling
234	<i>Xysticus ferox</i> (Hentz)	No change
235	<i>Xysticus fraternus</i> Banks	No change
235	<i>Xysticus funestus</i> Keyserling	No change
235	<i>Xysticus gulosus</i> Keyserling	No change
235	<i>Xysticus luctans</i> (C. L. Koch)	No change
235	<i>Xysticus luctuosus</i> (Blackwell)	* <i>X. l.</i> (Blackwall)
235	<i>Xysticus obscurum</i> (Keyserling)	<i>X. obscurus</i> Collett
235	<i>Xysticus pallax</i> (Cambridge)	No change
235	<i>Xysticus punctatus</i> Keyserling	No change
235	<i>Xysticus triguttatus</i> Keyserling	No change
235	Family PHILODROMIDAE	Family PHILODROMIDAE
235	<i>Ebo iviei</i> Sauer & Platnick	No change
235	<i>Ebo latithorax</i> Keyserling	No change
235	<i>Ebo pepinensis</i> Gertsch	No change
235	<i>Philodromus alascensis</i> (Keyserling)	<i>P. a.</i> Keyserling
236	<i>Philodromus cespitum</i> (Walckenaer)	No change
236	<i>Philodromus emertoni</i> Bryant	<i>P. mineri</i> Gertsch
236	<i>Philodromus histrio</i> (Latreille)	No change
236	<i>Philodromus imbecillus</i> Keyserling	No change
236	<i>Philodromus infuscatus</i> Keyserling	No change
236	<i>Philodromus keyserlingi</i> Marx	No change
236	<i>Philodromus lentiginosus</i> Keyserling	<i>P. histrio</i> (Latreille)
236	<i>Philodromus marxii</i> Keyserling	<i>P. marxi</i> Keyserling
236	<i>Philodromus mineri</i> Gertsch	No change
236	<i>Philodromus minutus</i> Banks	No change
236	<i>Philodromus pernix</i> Blackwall	No change
236	<i>Philodromus placidus</i> Banks	No change
236	<i>Philodromus praelustris</i> Keyserling	No change
236	<i>Philodromus rufus</i> Walckenaer	No change
237	<i>Philodromus satullus</i> Keyserling	No change
237	<i>Philodromus vulgaris</i> (Hentz)	No change
237	<i>Rhysodromus alascensis</i> Keyserling	<i>Philodromus a.</i> Keyserling
237	<i>Thanatus coloradensis</i> Keyserling	No change

237	<i>Thanatus formicinus</i> (Olivier)	<i>T. f.</i> (Clerck)
237	<i>Thanatus rubicellus</i> Mello-Leitão	No change
237	<i>Thanatus striatus</i> C. L. Koch	No change
237	<i>Tibellus duttoni</i> (Hentz)	No change
237	<i>Tibellus maritimus</i> (Menge)	No change
237	<i>Tibellus oblongus</i> (Walckenaer)	No change
237	Family SALTICIDAE	Family SALTICIDAE
237	<i>Admestina tibalis</i> C. L. Koch	* <i>A. tibialis</i> C. L. Koch
237	<i>Eris marginatus</i> (Walckenaer)	<i>E. militaris</i> (Hentz)
238	<i>Gertschia noxiosa</i> (Hentz)	<i>Synageles noxiosus</i> (Hentz)
238	<i>Hentzia mitrata</i> (Hentz)	No change
238	<i>Hentzia palmarum</i> (Hentz)	No change
238	<i>Hyctia bina</i> Hentz	<i>Marpissa b.</i> (Hentz)
238	<i>Icius elegans</i> (Hentz)	<i>Tutelina e.</i> (Hentz)
238	<i>Icius formicarius</i> Emerton	<i>Tutelina formicaria</i> (Emerton)
238	<i>Icius hartii</i> Emerton	* <i>Tutelina hartii</i> (Emerton)
238	<i>Icius similis</i> Banks	<i>Tutelina s.</i> (Banks)
238	<i>Maevia inclemens</i> (Walckenaer)	No change
238	<i>Maevia vittata</i> (Hentz)	<i>M. inclemens</i> (Walckenaer)
238	<i>Marpissa formosa</i> (Banks)	No change
238	<i>Marpissa lineata</i> C. L. Koch	<i>M. p.</i> (C. L. Koch)
238	<i>Marpissa undata</i> (De Geer)	<i>Platycryptus undatus</i> (De Geer)
239	<i>Metaphidippus canadensis</i> (Banks)	<i>Ghelna c.</i> (Banks)
239	<i>Metaphidippus flavipedes</i> (Peckham)	<i>Pelegrina flavipes</i> (Peckham & Peckham)
239	<i>Metaphidippus galathea</i> (Walckenaer)	<i>Pelegrina g.</i> (Walckenaer)
239	<i>Metaphidippus insignis</i> (Banks)	<i>Pelegrina i.</i> (Banks)
239	<i>Metaphidippus protervus</i> (Walckenaer)	<i>Pelegrina proterva</i> (Walckenaer)
239	<i>Neon nellii</i> Peckham	* <i>N. nellii</i> (Peckham & Peckham)
239	<i>Onondaga lineata</i> C. L. Koch	<i>Marpissa l.</i> (C. L. Koch)
239	<i>Peckhamia picata</i> (Hentz)	No change
239	<i>Pellenes agilis</i> (Banks)	<i>Habronattus a.</i> (Banks)
239	<i>Pellenes borealis</i> (Banks)	<i>Habronattus b.</i> (Banks)
239	<i>Pellenes calcaratus</i> Banks	<i>Habronattus c.</i> (Banks)
239	<i>Pellenes cognatus</i> (Peckham)	<i>Habronattus c.</i> (Peckham & Peckham)
240	<i>Pellenes coronatus</i> (Hentz)	<i>Habronattus coecatus</i> (Hentz)
240	<i>Pellenes decorus</i> (Blackwell)	* <i>Habronattus d.</i> (Blackwall)
240	<i>Pellenes leucophaea</i> (C. L. Koch)	<i>Pelegrina galathea</i> (Walckenaer)
240	<i>Pellenes longimanus</i> Emerton	No change
240	<i>Pellenes pulex</i> (Hentz)	<i>Naphrys p.</i> (Hentz)
240	<i>Pellenes texanus</i> (Chamberlin)	<i>Habronattus t.</i> (Chamberlin)
240	<i>Pellenes viridipes</i> (Hentz)	<i>Habronattus v.</i> (Hentz)
240	<i>Phidippus altanus</i> Gertsch	<i>P. borealis</i> Banks
240	<i>Phidippus audax</i> (Hentz)	No change
240	<i>Phidippus clarus</i> Keyserling	No change
240	<i>Phidippus insigniarius</i> C. L. Koch	* <i>P. insigniarius</i> C. L. Koch
240	<i>Phidippus pius</i> Scheffer	No change
240	<i>Phidippus princeps</i> (Peckham)	<i>P. p.</i> (Peckham & Peckham)
241	<i>Phidippus purpuratus</i> Keyserling	No change
241	<i>Phidippus whitmanii</i> Peckham	* <i>P. whitmani</i> (Peckham & Peckham)
241	<i>Phlegra fasciata</i> (Hahn)	<i>Phlegra hentzi</i> (Marx) [<i>P. f.</i> is Palearctic & mis-identified by Kaston]
241	<i>Salticus scenicus</i> (Linnaeus)	<i>S. s.</i> (Clerck)
241	<i>Sitticus palustris</i> (Peckham)	<i>S. floricola palustris</i> (Peckham & Peckham)
241	<i>Synemosyna formica</i> Hentz	No change
241	<i>Talavera minuta</i> (Banks)	No change
241	<i>Tutelina elegans</i> (Hentz)	No change
241	<i>Tutelina similis</i> (Banks)	No change
241	<i>Zygoballus bettini</i> Peckham	<i>Z. rufipes</i> Peckham & Peckham

241	<i>Zygoballus nervosus</i> (Peckham)	<i>Z. n.</i> (Peckham & Peckham)
242	Family DICTYNIDAE	Family DICTYNIDAE
242	<i>Dictyna altamira</i> Gertsch and Davis	<i>Emblyna altamira</i> (Gertsch and Davis)
242	<i>Dictyna annulipes</i> (Blackwall)	<i>Emblyna annulipes</i> (Blackwall)
242	<i>Dictyna arundinacea</i> (Linnaeus)	No change
242	<i>Dictyna bicornis</i> (Emerton)	<i>Phantyna b.</i> (Emerton)
242	<i>Dictyna bostoniensis</i> Emerton	No change
242	<i>Dictyna brevitarsus</i> Emerton	<i>D. brevitarsa</i> Emerton
242	<i>Dictyna coloradensis</i> Chamberlin	No change
242	<i>Dictyna cruciata</i> Emerton	<i>Emblyna c.</i> (Emerton)
242	<i>Dictyna foliacea</i> (Hentz)	No change
242	<i>Dictyna hentzi</i> Kaston	<i>Emblyna h.</i> (Kaston)
242	<i>Dictyna maxima</i> Banks	<i>Emblyna m.</i> (Banks)
242	<i>Dictyna minuta</i> Emerton	No change
242	<i>Dictyna roscida</i> (Hentz)	<i>Emblyna r.</i> (Hentz)
242	<i>Dictyna sancta</i> Gertsch	No change
242	<i>Dictyna sublata</i> (Hentz)	<i>Emblyna s.</i> (Hentz)
243	<i>Dictyna volucripes</i> Keyserling	No change
243	<i>Lathys foxii</i> Marx	* <i>L. foxi</i> (Marx)
243	<i>Lathys pallida</i> (Marx)	No change
243	Family ULOBORIDAE	Family ULOBORIDAE
243	<i>Hyptiotes cavatus</i> (Hentz)	No change
243	<i>Uloborus americanus</i> (Walckenaer)	<i>U. glomosus</i> (Walckenaer) <i>U. americanus</i> =Nomen Dubium
243	<i>Uloborus glomosus</i> (Walckenaer)	No change
243	Family AMAUROBIIDAE	Family AMAUROBIIDAE
243	<i>Amaurobius bennetti</i> (Blackwall)	<i>Callobius b.</i> (Blackwall)
243	<i>Amaurobius ferox</i> (Walckenaer)	No change
243	<i>Amaurobius fidelis</i> Banks	<i>Coras juvenilis</i> (Keyserling), now in AGELENIDAE
243	<i>Titanoeca americana</i> Emerton	<i>Titanoeca</i> transferred to TITANOECIDAE
243	<i>Callobius borealis</i> (Emerton)	<i>Amaurobius b.</i> (Emerton)
244	<i>Callioplus tibialis</i> (Emerton)	<i>Cybaeopsis t.</i> (Emerton)

New spider species added to the Michigan list since 1991

Most of the entries in the following table are based on specimens in the Albert J. Cook Arthropod Research Collection, housed in the Entomology Department at Michigan State University. No attempt has been made to include records in collections from other institutions. The arrangement of families in this table follows that of the 1991 Snider paper, rather than the order presented in the World Spider Catalog.

Family	Species	Michigan counties
Infraorder MYGALMORPHAE		
ANTRODIAETIDAE	# <i>Antrodiaetus unicolor</i> (Hentz)	Washtenaw
ATYPIDAE	# <i>Sphodros niger</i> (Hentz)	Clinton, Crawford, Ingham, Lake, Lenawee, Washtenaw
Infraorder ARANEOMORPHAE		
ARANEIDAE	<i>Araneus juniperi</i> (Emerton)	Barry, Clinton
ARANEIDAE	<i>Araneus gemmoides</i> Chamberlin & Ivie	Ingham
ARANEIDAE	<i>Mecynogea</i> sp.	Kent
ARANEIDAE	<i>Singa keyserlingi</i> McCook	Schoolcraft
TETRAGNATHIDAE	<i>Meta menardi</i> (Latreille)	Iron

LYCOSIDAE	<i>Geolycosa turricola</i> (Treat)	Cass
LYCOSIDAE	<i>Pardosa floridana</i> (Banks)	Mackinac
LYCOSIDAE	<i>Rabidosa rabida</i> (Walckenaer)	Charlevoix, Ingham, Wayne
LYCOSIDAE	<i>Schizocosa crassipes</i> (Walckenaer)	Kalamazoo, Shiawassee
LYCOSIDAE	<i>Schizocosa mccooki</i> (Montgomery)	Ingham, Kalamazoo
HAHNIIDAE	<i>Neoantistera riparia</i> (Keyserling)	Ingham, Keweenaw, Midland, Oceana
GNAPHOSIDAE	<i>Callilepis imbecilla</i> (Keyserling)	Clinton, Midland
GNAPHOSIDAE	<i>Drassodes gosiutus</i> Chamberlin	Oceana
GNAPHOSIDAE	<i>Drassyllus aprilinus</i> (Banks)	Barry, Berrien
GNAPHOSIDAE	<i>Drassyllus eremitus</i> Chamberlin	Ingham
GNAPHOSIDAE	<i>Drassyllus eremophilus</i> Chamberlin & Gertsch	Ingham
GNAPHOSIDAE	<i>Drassyllus novus</i> (Banks)	Clinton (Rose Lake area)
GNAPHOSIDAE	<i>Micaria aenea</i> Thorell	Keweenaw (Isle Royale)
GNAPHOSIDAE	<i>Micaria elizabethae</i> Gertsch	Clinton, Ingham
GNAPHOSIDAE	<i>Micaria laticeps</i> Emerton	Ingham
GNAPHOSIDAE	<i>Micaria riggsi</i> Gertsch	Clinton, Ingham
GNAPHOSIDAE	<i>Zelotes duplex</i> Chamberlin	Clinton (Rose Lake area)
THOMISIDAE	<i>Bassaniana versicolor</i> (Keyserling)	Barry, Clinton, Ingham, Kalamazoo, Midland, Oakland, Osceola, Roscommon
THOMISIDAE	<i>Misumessus oblongus</i> (Keyserling)	Allegan, Berrien, Branch, Ingham, Kalamazoo, St. Joseph
THOMISIDAE	<i>Xysticus ellipticus</i> Turnbull, Dondale & Redner	Roscommon
PHILODROMIDAE	<i>Philodromus exilis</i> Banks	Emmett, Shiawassee
PHILODROMIDAE	<i>Philodromus vibrans</i> Dondale	Charlevoix (Beaver Isl.), Chippewa, Clinton, Kalamazoo, Keweenaw, Marquette, Midland, Oceana
SALTICIDAE	■ <i>Evarcha hoyi</i> (Peckham & Peckham)	Alcona, Allegan, Bay, Branch, Charlevoix, Clare, Clinton, Delta, Dickinson, Grand Traverse, Gratiot, Ingham, Ionia, Isabella, Kalamazoo, Kent, Keweenaw (Isle Royale), Lake, Mackinaw, Manistee, Midland, Missaukee, Monroe, Oakland
SALTICIDAE	<i>Habrocestum</i> sp.	Ingham
SALTICIDAE	<i>Marpissa pikei</i> (Peckham & Peckham)	Midland
SALTICIDAE	<i>Phidippus otiosus</i> (Hentz)	Baraga (L'Anse)
SALTICIDAE	<i>Sassacus cyaneus</i> (Hentz)	Berrien
DICTYNIDAE	<i>Emblyna consulta</i> Gertsch & Ivie	
DICTYNIDAE	<i>Phantyna pixi</i> (Chamberlin & Gertsch)	Oceana
Families added since 1991 paper		
DYSDERIDAE	◆ <i>Dysdera crocata</i> C. L. Koch	Ingham, Livingston, Washtenaw, Wayne

EUTICHURIDAE	<i>Cheiracanthium mildei</i> L. Koch	Clinton
PLECTREURIDAE	<i>Kibramoa</i> sp.	Tuscola
SICARIIDAE	<i>Loxosceles reclusa</i> Gertsch & Mulaik	Genesee, Kent, Lenawee
SICARIIDAE	<i>Loxosceles rufescens</i> (Dufour)	Washtenaw

Swanson, D. R. 2010. On the Mygalomorphae (Araneae) of Michigan. Gt. Lakes Entomol. 43: 94-100.

■ It is possible that *Evarcha hoyi* was accidentally omitted from the 1991 paper. *E. hoyi* is widely distributed in Michigan. The MSU collection has specimens dating back to the 1940s, so these specimens would have been in the collection at the time Snider was preparing his Michigan list.

◆ Cognato, A. L. and M. F. O'Brien. 2013. The Woodlouse Hunter Occurs in Michigan (Araneae: Dysderidae: *Dysdera crocata* C. L. Koch 1838). Gt. Lakes Entomol. 46: 238-239.

Last updated June 8, 2016 by Ralph J. Gorton (gortonr@msu.edu)